

| LEATHER/SPLIT LEATHER | 2 |
|-----------------------|----|
| HEAT HAZARD | 5 |
| NBR GLOVES | 6 |
| SYNTHETIC, COATED | 8 |
| 100% COTTON | 9 |
| COATED COTTON | 10 |
| GAUNTLET | 11 |
| DISPOSABLE | 13 |
| MAPA® LINE | 15 |
| | |









Ed. 01/2013





LEATHER/SPLIT LEATHER

COW GRAIN LEATHER

Grain leather palm and back, beaded cuffs. Use: packaging and freight forwarding, wooden cardboard and plastic crates handling, tools handling. PPE 2nd cat. Size 11 on request.

| Descrizione | Size | H |
|----------------------------|------------|-----|
| GUANTI FIORE BOVINO BIANCO | 8 - 9 - 10 | 120 |



COW GRAIN LEATHER, SPLIT LEATHER BACK

Grain leather palm, split leather back, beaded cuffs. Use: mounting and assembly, storage, tools handling. PPE 2nd cat. Size 11 on request.

| Descrizione | Size | B |
|----------------------------------|------------|-----|
| GUANTI FIORE BOVINO DORSO CROSTA | 8 - 9 - 10 | 120 |



KID GRAIN LEATHER

Kid leather palm, thumb and nails, cotton back and cuffs.Use: crates and cardboard handling, storage, forwarding, general maintenance, DIY. PPE 2nd cat.

| Descrizione | Size | B |
|-----------------------|----------------|-----|
| GUANTI FIORE CAPRETTO | 7 - 8 - 9 - 10 | 120 |



SPLIT LEATHER SMP/7 TOP 10

Full split leather glove, 7cm safety cuffs. Use: foundry work, steel products handling. PPE 2nd cat.

| Descrizione | Size | B |
|-----------------------------|------|-----|
| GUANTI CROSTA SMP/ 7 TOP 10 | 10 | 120 |

TEAMTEC sas

We have made every effort to ensure that details and information given in this catalogue are accurate at the time of issue but give no guarantees as to the accuracy or completeness of such information. Full technical specifications are not necessarily included and furthermore our policy is one of continuous improvement and the right is reserved to alter details and information at any time as the need arises. No part of this publication may be reproduced or transmitted in any form or by any means including photocopying and recording, without our written permission.



SPLIT LEATHER SMP/15 TOP 10

Full split leather glove, 15cm safety cuffs. Use: foundry work, steel products handling. PPE 2nd cat.

| Descrizione | Size | B |
|-----------------------------|------|-----|
| GUANTI CROSTA SMP/15 TOP 10 | 10 | 120 |



SPLIT LEATHER RNF/7

Full split leather glove, reinforced palm, 7cm safety cuffs. Use: foundry work, steel products handling. PPE 2nd cat.

| Descrizione | Size | B |
|---------------------|------|-----|
| GUANTI CROSTA RNF/7 | 10 | 120 |



SPLIT LEATHER RNF/15

Full split leather glove, reinforced palm, 15cm safety cuffs. Use: foundry work, steel products handling. PPE 2nd cat.

| Descrizione | Size | B |
|----------------------|------|-----|
| GUANTI CROSTA RNF/15 | 10 | 120 |



B

10

LEATHER GAITERS

Full leather gaiters, 30cm high. PPE 1st cat.

| D | | _ | | • | | _ | |
|---|---|---|---|----|---|---|-------|
| ν | c | 3 | u | 14 | 4 | υ | c |

GHETTE CUOIO CM. 30

TEAMTEC sas





LEATHER APRON

Split leather apron, size 60x90cm approx. Available in standard and reinforced types. PPE 1st cat.

| Descrizione | Reference | B |
|-----------------------------------|------------|----|
| GREMBIULE CUOIO 60X 90 NORMALE | Standard | 10 |
| GREMBIULE CUOIO 60X 90 RINFORZATO | Reinforced | 10 |





PIG GRAIN TELA 88 PAS

Pig grain leather palm, cotton canvas back and safety cuffs, vein and nails patch. Use: crates and cardboard handling, storage, general maintenance, DIY. PPE 2nd cat.

| Descrizione | Size | B |
|-----------------------------------|------|-----|
| GUANTI FIORE MAIALINO TELA 88 PAS | 10 | 120 |

PEKARI 88 PBS

Split pig leather palm, cotton canvas back and safety cuffs, vein and nails patch. Use: crates and cardboard handling, storage, general maintenance, DIY. PPE 2nd cat.

| Descrizione | Size | B |
|-------------------------|------|-----|
| GUANTI PEKARI 88 PBS 10 | 10 | 120 |

TEAMTEC sas

4



HEAT HAZARD

ANTI HEAT ARAMID

100% aramid fibre, cotton lining. Use: iron and steel industry, rubber and plastic manufacture, glass industry, ovens and vulcanization processes. PPE 3rd cat.

| Descrizione | Size | B |
|--------------------------------------|------|-----|
| GUANTI ANTICALORE ARAMIDICI CM.28 10 | 10 | 120 |
| GUANTI ANTICALORE ARAMIDICI CM.38 10 | 10 | 120 |
| GUANTI ANTICALORE ARAMIDICI CM.50 10 | 10 | 120 |



SPLIT LEATHER WELDERS

Split leather with 100% cotton lining, no exposed seams, 35cm long. Ideal for welders. PPE 2nd cat.

| Descrizione | Size | B |
|----------------------------------|------|----|
| GUANTI CROSTA SALDATORE FODERATO | 10 | 72 |



TEAMTEC sas





NBR GLOVES

NBR 5313 fully coated

Nitrile coated, cotton safety cuffs, seamless jersey cotton lining. Use: mechanical industry, concrete industry, sanitation department, forwarding, building materials. PPE 2nd cat.

| Descrizione | Size | H |
|-----------------------------------|-----------------|-----|
| GUANTI NBR BLU 5313 INT.RIVESTITO | 8 - 9 - 10 - 11 | 120 |



NBR 5413

Nitrile coated, breathable open back, cotton safety cuffs, seamless jersey cotton lining. Use: mechanical industry, concrete industry, sanitation department, forwarding, building materials. PPE 2nd cat.

| Descrizione | Size | |
|----------------------------------|------------|-----|
| GUANTI NBR BLU 5413 DORSO AERATO | 8 - 9 - 10 | 120 |



NBR 5314 fully coated

Heavyweight fully nitrile coated for total protection, knitted cuff, seamless jersey cotton lining. Use: mechanical industry, concrete industry, sanitation department, forwarding, building materials. PPE 2nd cat.

| Descrizione | Size | B |
|---------------------------------------|------------|-----|
| GUANTI NBR BLU 5314 P/MAGLIA INT.RIV. | 8 - 9 - 10 | 120 |



NBR 5414

Nitrile coated, breathable open back, knitted cuffs, seamless jersey cotton lining. Use: mechanical industry, concrete industry, sanitation department, forwarding, building materials. PPE 2nd cat.

| Descrizione | Size | |
|---------------------------------------|------------|-----|
| GUANTI NBR BLU 5414 P/MAGLIA D/AERATO | 8 - 9 - 10 | 120 |

TEAMTEC sas

We have made every effort to ensure that details and information given in this catalogue are accurate at the time of issue but give no guarantees as to the accuracy or completeness of such information. Full technical specifications are not necessarily included and furthermore our policy is one of continuous improvement and the right is reserved to alter details and information at any time as the need arises. No part of this publication may be reproduced or transmitted in any form or by any means including photocopying and recording, without our written permission.



LITEGOM 793 YELLOW

Nitrile coated, breathable open back, knitted cuffs, seamless jersey cotton lining. Use: mechanical industry, plant engineering and maintenance, general handling. PPE 2nd cat.

| Descrizione | Size | B |
|---------------------------------------|----------------|-----|
| GUANTI NBR GIALLO LITEGOM 793 D.AERAT | 7 - 8 - 9 - 10 | 120 |



TEAMTEC sas



SYNTHETIC, COATED

PIUREX

Light and comfortable 100% knitted polyamide, polyurethane coated palm, enhanced grip and high sensibility. Use: precision work in the electronic, mechanical, pharmaceutical industry. PPE 2nd cat.

| Descrizione | Size | Color | B |
|----------------------|--------------------|-------|-----|
| GUANTI PIUREX | 7 - 8 - 9 - 10 -11 | White | 120 |
| GUANTI PIUREX GRIGIO | 7 - 8 - 9 - 10 -11 | Grey | 120 |
| GUANTI PIUREX NERO | 7 - 8 - 9 - 10 -11 | Black | 120 |

NITREX

Light and comfortable 100% knitted polyamide, nitrile coated palm, enhanced grip and high sensibility. Use: precision work in the general industry, building industry, warehousing, DIY. PPE 2nd cat.

| Descrizione | Size | Color | H |
|-------------------|---------------------|-------|-----|
| GUANTI NITREX | 7 - 8 - 9 - 10 - 11 | Grey | 120 |
| GUANTI NITREX BLU | 7 - 8 - 9 - 10 | Blue | 120 |



DYNITEX

Polyurethane coated palm, dyneema/polyamide fabric. High dexterity, good shearing resitance. Use: mechanical industry, sharp slab handling, steel and glass industry. PPE 2nd cat.

| Descrizione | Size | |
|----------------|----------------|-----|
| GUANTI DYNITEX | 7 - 8 - 9 - 10 | 120 |

TEAMTEC sas

8



100% COTTON

INTERLOCK COTTON

100% cotton fabric. Use: ideal as liner for those with allergy problems with rubber gloves. PPE 1st cat.

| Descrizione | Size | |
|------------------------------------|------------|-----|
| GUANTI COTONE INTERLOCK - TG. UOMO | men's size | 600 |



COTTON CONTINUOUS THREAD

100% cotton knit. Use: ideal as liner for those with allergy problems with rubber gloves. PPE 1st cat.

| Descrizione | Size | B |
|--|--------------|-----|
| GUANTI COTONE FILO CONTINUO 3 FILI DONNA | women's size | 300 |
| GUANTI COTONE FILO CONTINUO 3 FILI UOMO | men's size | 300 |



POLKA DOT

100% cotton with PVC dotting, knitted cuffs. Use: light duty work, gardening, DIY. PPE 1st cat.

| Descrizione | Size | |
|--------------------------------------|------------|-----|
| GUANTI POLKA COTONE (CF.300/PA) TG10 | men's size | 300 |



TEAMTEC sas





COATED COTTON

GRIP GREEN

Jersey cotton green latex coated, knitted cuffs, rough finish to secure grip, breathable back to reduce perspiration; allows maximum dexterity, fit and comfort-Use: building industry, forestry, handling of slippery objects. PPE 2nd cat.

DescrizioneSizeGUANTI GRIP VERDE8 - 9 - 10120



ANTIVIBRATING

Seamless knitted fabric coated with synthetic foam grants optimum dexterity and protection. Use: with machineries and tolls that cause vibrations in the building industry, industrial assembly and maintenance.

| Descrizione | Size | |
|-----------------------|-----------|-----|
| GUANTI ANTIVIBRAZIONI | 7 - 8 - 9 | 120 |

TEAMTEC sas

10



GAUNTLET

PVC

Interlock cotton lining, red PVC coating. Use: handling and transportation of petroleum products, waste collection. PPE 2nd cat.

| Descrizione | Size | |
|----------------------|------|-----|
| GUANTI PVC CM. 27 10 | 10 | 120 |
| GUANTI PVC CM. 35 10 | 10 | 120 |
| GUANTI PVC CM. 45 10 | 10 | 120 |
| GUANTI PVC CM. 60 10 | 10 | 60 |



DOMESTIC

Natural latex glove with cotton lock. Use: maintenance and cleaning in general, catering, food handling, hygiene and painting. PPE 1st cat.

| Descrizione | Size | |
|-----------------|---------------|-----|
| GUANTI DOMESTIC | 6 - 7 - 8 - 9 | 144 |



NITRILEX

Nitrile glove with cotton lock. Use: chemical petrochemical and mechanical industry, treatment and greasing of metals, agro-food, printing, paints industry. PPE 2nd cat.

| Descrizione | Size | B |
|-----------------|----------------|-----|
| GUANTI NITRILEX | 7 - 8 - 9 - 10 | 144 |



TEAMTEC sas





PRENEX

Neoprene glove with cotton lock. Use: chemical petrochemical and mechanical industry, cement industry, tanneries, industrial maintenance and cleaning. PPE 3rd cat.

| Descrizione | Size | H |
|---------------|---------------------|-----|
| GUANTI PRENEX | 7 - 8 - 9 - 10 - 11 | 120 |

TEAMTEC sas

12



DISPOSABLE

SOLO LATEX AQL 1,5

Disposable ambidextrous in natural latex, in boxes of 100 pieces. Use: food industry, dressing, emergencies, laboratories. Conforms ASTM, FDA and TUV. PPE 3rd cat.

| Descrizione | Size | Reference | B |
|-------------------------------------|----------------|--------------|----|
| GUANTI MONOUSO SOLO LATEX C/POLVERE | S - M - L - XL | with talc | 10 |
| GUANTI MONOUSO SOLO LATEX S/POLVERE | S - M - L - XL | without talc | 10 |



SOLO LATEX BLU SUPER AQL 1,5

High resistant disposable in natural latex, without talc. Ambidextrous with beaded end, micro-rough finish, thickness 0.30±0.4mm, length 280mm. In boxes of 50 pieces. Use: protection from micro-organisms contaminated surfaces, contact with chemicals. Conforms to 89/686/CEE directive, ASTM D and FDA. PPE 3rd cat.

| Descrizione | Size | |
|-------------------------------------|------------|----|
| GUANTI MONOUSO SOLO LATEX BLU SUPER | M - L - XL | 10 |



DURAVIL AQL 1,5

Ambidextrous disposable vinyl, in boxes of 100 pieces. Use: on laboratories, graphic arts, jewel cleansing, food industry. PPE 3rd cat.

| Descrizione | Size | Reference | |
|----------------------------------|----------------|--------------|----|
| GUANTI MONOUSO DURAVIL C/POLVERE | S - M - L - XL | with talc | 10 |
| GUANTI MONOUSO DURAVIL S/POLVERE | S - M - L - XL | without talc | 10 |



TRINIL BLU AQL 1,5

Ambidextrous disposable nitrile, in boxes of 100 pieces. Use: handling of oils and hydrocarbons, chemical industry, assembly operations. PPE 3rd cat.

| Descrizione | Size | Reference | B |
|-------------------------------------|----------------|--------------|----|
| GUANTI MONOUSO TRINIL BLU C/POLVERE | S - M - L - XL | with talc | 10 |
| GUANTI MONOUSO TRINIL BLU S/POLVERE | S - M - L - XL | without talc | 10 |



TEAMTEC sas





TRINIL BLUE H.D. AQL 1,0

Ambidextrous disposable nitrile, heavy duty, without talc, non-sterile, in boxes of 100 pieces. Use: protection from biological contaminated surfaces and accidental contact with chemicals. Conforms to 89/686/CEE directive, ASTM. PPE 3rd cat.

| Descrizione | Size | B |
|-----------------------------------|------------|----|
| GUANTI MONOUSO TRINIL BLU PESANTE | M - L - XL | 10 |

TEAMTEC sas

14



MAPA[®] LINE

KRONIT 386

Heavy duty nitrile, palm thumb and index finger in Kevlar[®]. Use: mechanical works, welding, building industry, sharp metal handling, garbage handling. PPE 2nd cat.

| Descrizione | Size | B |
|-------------------|-------------|----|
| GUANTI KRONIT 386 | 7-7½ / 9-9½ | 10 |



TITAN 392

Heavy duty nitrile with fabric lining, knitted cuffs, high comfort, dexterity and protection. Use: metal works, building materials handling, fishing industry, forestry. PPE 2nd cat.

| Descrizione | Size | |
|------------------|-------------|-----|
| GUANTI TITAN 392 | 8-8½ / 9-9½ | 100 |



TITAN 388

Heavy duty nitrile with fabric lining, high comfort, dexterity and protection. Use: metal works, building materials handling, fishing industry, forestry. PPE 2nd cat.

| Descrizione | Size | |
|------------------------|-----------------|-----|
| GUANTI TITAN 388 8-8,5 | 8-81/2 / 9-91/2 | 100 |



TITAN 385

Heavy duty nitrile, breathable open back, high comfort, dexterity and protection. Use: metal degreasing, paints manufacture, agro-food and catering. PPE 2nd cat.

| Descrizione | Size | B |
|------------------|--------|-----|
| GUANTI TITAN 385 | 9-91⁄2 | 100 |



TEAMTEC sas





TITAN LITE 397

Cotton backing with nitrile cover, coated palm, breathable open back ,high comfort, dexterity and protection. Use: precision mechanics, carpentry work, building industry, general handling. PPE 2nd cat.

| Descrizione | Size | |
|-----------------------|---------------------|-----|
| GUANTI TITAN LITE 397 | from 7-7½ to 10-10½ | 100 |



DEXTRAM 375

Cotton backing with full nitrile cover, high comfort, dexterity and protection. Use: precision mechanics, carpentry work, building industry, general handling. PPE 2nd cat.

| Descrizione | Size | B |
|--------------------|-------------------|----|
| GUANTI DEXTRAM 375 | from 7-7½ to 9-9½ | 50 |



ULTRANITRIL 480

Nitrile glove internally and externally chlorinated, very high resistance to solvents, hydrocarbons, vegetable and animal oils and fats. Use: metal degreasing, paints manufacture, agro-food and catering. PPE 3rd cat.

| Descrizione | Size | |
|------------------------|---------------|----|
| GUANTI ULTRANITRIL 480 | 9-9½ / 10-10½ | 12 |



ULTRANITRIL 492

Nitrile glove, cotton lining, , very high resistance to solvents, hydrocarbons, vegetable and animal oils and fats. Use: metal degreasing, paints manufacture, agro-food and catering. PPE 3rd cat.

| Descrizione | Size | H |
|------------------------|---------------------|-----|
| GUANTI ULTRANITRIL 492 | from 6-6½ to 11-11½ | 100 |

TEAMTEC sas

We have made every effort to ensure that details and information given in this catalogue are accurate at the time of issue but give no guarantees as to the accuracy or completeness of such information. Full technical specifications are not necessarily included and furthermore our policy is one of continuous improvement and the right is reserved to alter details and information at any time as the need arises. No part of this publication may be reproduced or transmitted in any form or by any means including photocopying and recording, without our written permission.



TECHNIC 420

Neoprene glove, cotton lining. Use: industrial cleaning, surface treatment, pickling, glues manufacture and handling, composite materials manufacture and maintenance. PPE 3rd cat.

| Descrizione | Size | B |
|--------------------|---------------------|-----|
| GUANTI TECHNIC 420 | from 7-7½ to 10-10½ | 100 |



TECHNI-MIX 415

Neoprene and natural latex glove, cotton lining, knurled outer finish. Use: working with resins, pain spraying, industrial cleaning and maintenance. PPE 3rd cat.

| Descrizione | Size | H |
|------------------------|--------------|-----|
| GUANTI TECHNIC MIX 415 | from 6 to 11 | 100 |



ULTRANE 551

Light polyurethane glove, great grip and sensitivity, excellent comfort for long working time. Use: precision work in the electronic, mechanical and pharmaceutical industry, manipulation of materials with oil, fats and alcohol traces. PPE 2nd cat.

| Descrizione | Size | |
|--------------------|---------------------|-----|
| GUANTI ULTRANE 551 | from 7-7½ to 10-10½ | 100 |



ULTRANE 550

Light polyure than e glove with polyamide lining, great grip and sensibility, excellent comfort for long working time.

Use: precision work in the electronic, mechanical and pharmaceutical industry. PPE 2nd cat.

| Descrizione | Size | |
|--------------------|------|-----|
| GUANTI ULTRANE 550 | 9-9½ | 100 |



TEAMTEC sas

We have made every effort to ensure that details and information given in this catalogue are accurate at the time of issue but give no guarantees as to the accuracy or completeness of such information. Full technical specifications are not necessarily included and furthermore our policy is one of continuous improvement and the right is reserved to alter details and information at any time as the need arises. No part of this publication may be reproduced or transmitted in any form or by any means including photocopying and recording, without our written permission.





ULTRANE GRIP 562

Polyamide lining coated with polyurethane foam, breathable back, antislipping cover (with granules in the surface) to grant a greater grip in wet, oily and fatty environment. Use: industrial processes, car maintenance, smallware handling, precision mechanics. PPE 2nd cat.

| Descrizione | Size | H |
|-------------------------|---------------------|-----|
| GUANTI ULTRANE GRIP 562 | from 6-6½ to 10-10½ | 100 |



ULTRANE 553

Nitrile coated polyamide supported glove, ventilated back and fingers. In addition to supplying optimum performances, they protect the hands from grease, they don't swell when in contact with oil and also offer excellent sensitivity in handling small pieces.

Use: precision work in electronic and mechanic industries, logistics handlings. PPE 2nd cat.

| Descrizione | Size | B |
|--------------------|-------------------------|-----|
| GUANTI ULTRANE 553 | from 6-61/2 to 10-101/2 | 100 |



HARPON 321

Polyamide lining nitrile coated, breathable back and fingers. Excellent mechanical performances, protects the hand from fats, oil resistant, high sensibility for handling of small pieces. Use: precision work on the electronic and mechanic industry, warehouse handling. PPE 2nd cat.

| Descrizione | Size | |
|-------------------|-------------------|----|
| GUANTI HARPON 321 | from 7-7½ to 9-9½ | 50 |



JERSETTE 301

Latex glove, anti-slippery, high performances for long working time. Use: food industry, horticulture, fishery, perfume industry, composite fibers production, building industry. PPE 2nd cat.

| Descrizione | Size | B |
|---------------------|-------------------|----|
| GUANTI JERSETTE 301 | from 6-6½ to 8-8½ | 50 |

TEAMTEC sas

We have made every effort to ensure that details and information given in this catalogue are accurate at the time of issue but give no guarantees as to the accuracy or completeness of such information. Full technical specifications are not necessarily included and furthermore our policy is one of continuous improvement and the right is reserved to alter details and information at any time as the need arises. No part of this publication may be reproduced or transmitted in any form or by any means including photocopying and recording, without our written permission.



SUPERFOOD 174

Natural latex glove, smooth inside, pebbled chlorinated finish. Use: canning, creamery, poultry boning, fish filleting, food processing, fruits and vegetables handling. PPE 3rd cat.

| Descrizione | Size | B |
|----------------------|-------------------|-----|
| GUANTI SUPERFOOD 174 | from 6-6½ to 9-9½ | 100 |

SUPERFOOD 175

Natural latex glove, smooth inside, knurled chlorinated finish. Use: canning, creamery, poultry boning, fish filleting, food processing, fruits and vegetables handling. PPE 3rd cat.

| Descrizione | Size | H |
|----------------------|-------------------------|-----|
| GUANTI SUPERFOOD 175 | from 6-61/2 to 10-101/2 | 100 |







Blend of latex and neoprene, cotton lining. Use: industrial cleaning, surfaces treatment, pickling, maintenance, manufacture of building materials. PPE 3rd cat.

| Descrizione | Size | Ð |
|--------------------|-------------------|-----|
| GUANTI DUO-MIX 405 | from 7-7½ to 9-9½ | 100 |



INDUSTRIAL 299

Natural latex with cotton lining, knurled finish. Use: maintenance in moist environment, laying and maintenance of bathroom furniture, emptying septic tanks. PPE 3rd cat.

| Descrizione | Size | H |
|-----------------------|-------------------|----|
| GUANTI INDUSTRIAL 299 | from 7-7½ to 9-9½ | 50 |



TEAMTEC sas





ALTO 258

Natural latex with cotton lining. Use: food processing, general maintenance, composite materials and chemicals processing industry. PPE 3rd cat.

| Descrizione | Size | B |
|-----------------------|---------------------|-----|
| GUANTI ALTO 258 6-6,5 | from 7-7½ to 10-10½ | 100 |



VITAL 124

Natural latex with cotton lining. Use: food processing, general maintenance, composite materials and chemicals processing industry. PPE 3rd cat.

| Descrizione | Size | B |
|------------------------|-----------------------|-----|
| GUANTI VITAL 124 6-6,5 | from 6-61/2 to 9-91/2 | 100 |



SOLO PLUS 995

Disposable latex glove, inside chlorinated, outside smooth, excellent sensibility. In boxes of 100 pieces. Use: food processing, cosmetics processing, assembly of small pieces, laboratory handling. PPE 3rd cat.

| Descrizione | Size | B |
|------------------------------|-------------|----|
| GUANTI SOLO PLUS 995 LATTICE | 8-8½ / 9-9½ | 10 |



SOLO 992

Disposable latex glove, inside powder, outside smooth, for delicate work guarantees the maximum sensibility. In boxes of 100 pieces. PPE 3rd cat.

| Descrizione | Size | |
|-------------------------|-------------|----|
| GUANTI SOLO 992 LATTICE | 8-8½ / 9-9½ | 10 |

TEAMTEC sas

| Notes: | | |
|--------|------|------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

|____

|____

___| ____|

____ |

| Notes: | |
|--------|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

|____

|____

___| ____|

____ |

| Notes: | |
|--------|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

|____

|____

___| ____|

____ |



TeamTec sas Via Prima Strada, 35 35129 Padova - ITALY T: +39 049 20 20 854 www.teamtec.it teamtec@teamtec.it