

74 - SAFETY FOOTWEAR

NEOARM BASIC LINE	2
NEOARM K LINE	5
KG HRO LINE	9
KC LINE	11
INSOLE	12
SAFETY BOOTS	13
NON SAFETY BOOTS	15



CATALOGUE

www.teamtec.com

Ed. 01/2013



NEOARM BASIC LINE



ANNONE S3 **RAPID SLIP-OFF DEVICE**

Grain leather shoe, waterproof and breathable, wide fitting for an excellent comfort, breathable lining resistant to water absorption, steel toe 200 joule resistant and puncture resistant steel midsole. Rapid slip-off device. Dual-density polyurethane outsole, antistatic and oil resistant.

Descrizione	Color	Conforms to	Size	
SCARPE ANNONE	Black	EN 345-1	36-48	1



ALTA S1P **RAPID SLIP-OFF DEVICE**

Pigmented leather shoe, wide fitting for an excellent comfort, breathable lining, steel toe and puncture resistant steel midsole. Rapid slip-off device. Dual-density outsole abrasion and oil resistant, antistatic.

Descrizione	Color	Conforms to	Size	
SCARPE ANTINFORTUNISTICHE ALTE S1P	Black	EN 345-1	35-47	1



BASSA S1P

Pigmented leather low-cut shoe, wide fitting for an excellent comfort, breathable lining, steel toe and puncture resistant steel midsole. Rapid slip-off device. Dual-density outsole abrasion and oil resistant, antistatic.

Descrizione	Color	Conforms to	Size	
SCARPE ANTINFORTUNISTICHE BASSE S1P	Black	EN 345-1	36-47	1



FORATA S1P

Suede low-cut shoe, perforated upper side, steel toe and puncture resistant steel midsole, ergonomic insole, polyurethane outsole abrasion and oil resistant, antistatic.

Descrizione	Color	Conforms to	Size	
SCARPE ANTINFORTUNISTICHE FORATE ESTIVE S1P	Grey	EN 345-1	38-47	1

TEAMTEC sas

2

We have made every effort to ensure that details and information given in this catalogue are accurate at the time of issue but give no guarantees as to the accuracy or completeness of such information. Full technical specifications are not necessarily included and furthermore our policy is one of continuous improvement and the right is reserved to alter details and information at any time as the need arises. No part of this publication may be reproduced or transmitted in any form or by any means including photocopying and recording, without our written permission.



SANDALI ANTINFORTUNISTICI S1P/SANDAL S1P

Suede sandal, steel toe and puncture resistant steel midsole, breathable lining, polyurethane outsole abrasion and oil resistant, antistatic, anti-slip.

Descrizione	Color	Conforms to	Size	
SANDALI ANTINFORTUNISTICI S1P	Blue navy	EN 345-1	38-47	1



TRIAL ALTA BEIGE S1P

Suede high shoe with fabric inserts, toe protection, steel toe and puncture resistant steel midsole, ergonomic insole, polyurethane outsole abrasion and oil resistant, antistatic, anti-slip.

Descrizione	Color	Conforms to	Size	
SCARPE TRIAL ALTE BEIGE	Beige	EN 345	38-47	1



TRIAL BASSA BEIGE S1P

Suede low-cut shoe with fabric inserts, toe protection, steel toe and puncture resistant steel midsole, ergonomic insole, polyurethane outsole abrasion and oil resistant, antistatic, anti-slip.

Descrizione	Color	Conforms to	Size	
SCARPE TRIAL BASSE BEIGE	Beige	EN 345	38-47	1



TRIAL ALTA BLU S1P

Suede high shoe with fabric inserts, toe protection, steel toe and puncture resistant steel midsole, ergonomic insole, polyurethane outsole abrasion and oil resistant, antistatic, anti-slip.

Descrizione	Color	Conforms to	Size	
SCARPE TRIAL ALTE BLU	Blue	EN 345	38-47	1



TEAMTEC sas

We have made every effort to ensure that details and information given in this catalogue are accurate at the time of issue but give no guarantees as to the accuracy or completeness of such information. Full technical specifications are not necessarily included and furthermore our policy is one of continuous improvement and the right is reserved to alter details and information at any time as the need arises. No part of this publication may be reproduced or transmitted in any form or by any means including photocopying and recording, without our written permission.



TRIAL BASSA BLU S1P

Suede low-cut shoe with fabric inserts, toe protection, steel toe and puncture resistant steel midsole, ergonomic insole, polyurethane outsole abrasion and oil resistant, antistatic, anti-slip.

Descrizione	Color	Conforms to	Size	
SCARPE TRIAL BASSE BLU	Blue	EN 345	38-47	1



COLORADO S1P

Suede high shoe, breathable lining, 200 joule steel toe and puncture resistant steel midsole. Polyurethane outsole abrasion and oil resistant, antistatic.

Descrizione	Color	Conforms to	Size	
SCARPE COLORADO	Sand	EN 345-1	37-47	1



ALTE MT S1-P RAPID SLIP-OFF DEVICE

Pigmented leather high shoe, non-woven fabric lining, steel toe and puncture resistant steel midsole, METETARSAL protection, dual-density polyurethane outsole abrasion and oil resistant, antistatic.

Descrizione	Color	Conforms to	Size	
SCARPE ALTE MT S1-P	Black	EN 345-1	39-48	1

TEAMTEC sas

4

We have made every effort to ensure that details and information given in this catalogue are accurate at the time of issue but give no guarantees as to the accuracy or completeness of such information. Full technical specifications are not necessarily included and furthermore our policy is one of continuous improvement and the right is reserved to alter details and information at any time as the need arises. No part of this publication may be reproduced or transmitted in any form or by any means including photocopying and recording, without our written permission.



NEOARM K LINE

K ANNONE S3 **RAPID SLIP-OFF DEVICE**

Wear resistant grain leather high shoe, waterproof, breathable lining, puncture resistant fabric midsole, composite toe, rapid slip-off device, outsole with polyurethane pads, oil resistant and antistatic.

Descrizione	Color	Conforms to	Size	
SCARPE K ANNONE S3	Black	EN 345-1	36-48	1



K BENACO S3

Wear resistant grain leather low-cut shoe, waterproof, breathable lining, puncture resistant fabric midsole, composite toe, rapid slip-off device, outsole with polyurethane pads, oil resistant and antistatic.

Descrizione	Color	Conforms to	Size	
SCARPE K BENACO B/S3	Black	EN 345-1	36-48	1



K CORTINA S3

Wear resistant grain leather high shoe, waterproof, breathable lining, puncture resistant fabric midsole, composite toe, rapid slip-off device, outsole with polyurethane pads, oil resistant and antistatic.


Descrizione	Color	Conforms to	Size	
SCARPE K CORTINA M/S3	Black/Grey	EN 345-1	36-48	1



K LIBERTY S3

Wear resistant grain leather low-cut shoe, waterproof, breathable lining, puncture resistant fabric midsole, composite toe, rapid slip-off device, outsole with polyurethane pads, oil resistant and antistatic.

Descrizione	Color	Conforms to	Size	
SCARPE K LIBERTY B/S3	Brown/Orange	EN 345-1	36-48	1



TEAMTEC sas

We have made every effort to ensure that details and information given in this catalogue are accurate at the time of issue but give no guarantees as to the accuracy or completeness of such information. Full technical specifications are not necessarily included and furthermore our policy is one of continuous improvement and the right is reserved to alter details and information at any time as the need arises. No part of this publication may be reproduced or transmitted in any form or by any means including photocopying and recording, without our written permission.



K CADORE S3

Wear resistant suede high shoe, waterproof, breathable lining, puncture resistant fabric midsole, composite toe, rapid slip-off device, outsole with polyurethane pads, oil resistant and antistatic.

Descrizione	Color	Conforms to	Size	
SCARPE K CADORE	Beige	EN 345-1	36-48	1



K RETEX S3

Wear resistant textile high shoe, waterproof, breathable lining, puncture resistant fabric midsole, composite toe, rapid slip-off device, outsole with polyurethane pads, oil resistant and antistatic.

Descrizione	Color	Conforms to	Size	
SCARPE K RETEX S3	Black/Blue	EN 345-1	36-48	1



K GRETA/2479 S3 RAPID SLIP-OFF DEVICE

High shoe waxed leather. The upper side MICROLEATHER material to give greater lightness and excellent performance, reflective material inserts. PU outsole anti-oil, anti-wear, anti-static. Tang made with side gusset to prevent the intrusion inside dirt, moisture and debris. TPU shank reinforcement material to protect the ankle from sprains and bruises. Foil fabric midsole. Composite toe cap. Anti-pulping fabric to preserve the ankle socks wear.

Descrizione	Color	Conforms to	Size	
SCARPE K ALTE S3 GRETA/2479	Black	EN ISO 20345	38-47	1



K CAPRI/2450 S3

Low-cut shoe waxed leather. The upper side MICROLEATHER material to give greater lightness and excellent performance, reflective material inserts. PU outsole anti-oil, anti-wear, anti-static. Tang made with side gusset to prevent the intrusion inside dirt, moisture and debris. TPU shank reinforcement material to protect the ankle from sprains and bruises. Foil fabric midsole. Composite toe cap. Anti-pulping fabric to preserve the ankle socks wear.

Descrizione	Color	Conforms to	Size	
SCARPE K BASSE S3 CAPRI/2450	Black	EN ISO 20345	39-47	1

TEAMTEC sas

6

We have made every effort to ensure that details and information given in this catalogue are accurate at the time of issue but give no guarantees as to the accuracy or completeness of such information. Full technical specifications are not necessarily included and furthermore our policy is one of continuous improvement and the right is reserved to alter details and information at any time as the need arises. No part of this publication may be reproduced or transmitted in any form or by any means including photocopying and recording, without our written permission.



K ROMY CALIPSO S1P

Suede and nylon low-cut shoe, breathable lining, puncture resistant fabric midsole, composite toe. Outsole with polyurethane pads, abrasion and oil resistant, antistatic.

Descrizione	Color	Conforms to	Size	
SCARPE K ROMY CALIPSO B/S1P	Beige	EN ISO 20345	39-47	1



K CHINI S1P

Suede low-cut shoe, breathable lining, puncture resistant fabric midsole, composite toe. Outsole with polyurethane pads, abrasion and oil resistant, antistatic.

Descrizione	Color	Conforms to	Size	
SCARPE K CHINI B/S1P	Kaki	EN 345-1	36-48	1



K COLBA S1P

Suede low-cut shoe, breathable lining, puncture resistant fabric midsole, composite toe. Outsole with polyurethane pads, abrasion and oil resistant, antistatic.

Descrizione	Color	Conforms to	Size	
SCARPE K COLBA B/S1P	Kaki	EN 345-1	36-48	1



K ESTER S1P

Suede low-cut shoe, breathable lining, puncture resistant fabric midsole, composite toe. Outsole with polyurethane pads, abrasion and oil resistant, antistatic.

Descrizione	Color	Conforms to	Size	
SCARPE K ESTER S1P	Grey/Orange	EN 345-1	36-48	1



TEAMTEC sas

We have made every effort to ensure that details and information given in this catalogue are accurate at the time of issue but give no guarantees as to the accuracy or completeness of such information. Full technical specifications are not necessarily included and furthermore our policy is one of continuous improvement and the right is reserved to alter details and information at any time as the need arises. No part of this publication may be reproduced or transmitted in any form or by any means including photocopying and recording, without our written permission.



K MICRA S1P

Suede low-cut shoe, breathable lining, puncture resistant fabric midsole, composite toe. Outsole with polyurethane pads, abrasion and oil resistant, antistatic.

Descrizione	Color	Conforms to	Size	
SCARPE K MICRA B/S1P	Grey/Yellow	EN 345-1	36-48	1

TEAMTEC sas

8

We have made every effort to ensure that details and information given in this catalogue are accurate at the time of issue but give no guarantees as to the accuracy or completeness of such information. Full technical specifications are not necessarily included and furthermore our policy is one of continuous improvement and the right is reserved to alter details and information at any time as the need arises. No part of this publication may be reproduced or transmitted in any form or by any means including photocopying and recording, without our written permission.



KG HRO LINE

BOMBER HRO B/S1P

Soft suede low-cut shoe, breathable collar and top fabric lining, comfortable and breathable EVA foam insole. Aluminum toe and composite midsole. Vibram® Nitrile outsole anti-slip and heat resistant up to +300°C (HRO).

Descrizione	Color	Conforms to	Size	
SCARPE KG BOMBER HRO B/S1P	Grey	EN ISO 20345	38-47	1



CICLONE HRO A/S3

Grain leather high shoe, breathable collar and top fabric lining, comfortable and breathable EVA foam insole. Composite toe and composite midsole. Nitrile outsole anti-slip and heat resistant up to +300°C (HRO).

Descrizione	Color	Conforms to	Size	
SCARPE KG CICLONE HRO A/S3	Brown	EN ISO 20345	38-47	1



ETNA HRO A/S3

Grain leather high shoe, breathable collar and top fabric lining, comfortable and breathable EVA foam insole. Composite toe and composite midsole. Nitrile outsole anti-slip and heat resistant up to +300°C (HRO).

Descrizione	Color	Conforms to	Size	
SCARPE KG ETNA HRO A/S3	Black	EN ISO 20345	38-47	1



GLOBAL LOW HRO B/S1P

Soft suede low-cut shoe, breathable collar and top fabric lining, comfortable and breathable EVA foam insole. Composite toe and composite midsole. Nitrile outsole anti-slip and heat resistant up to +300°C (HRO).

Descrizione	Color	Conforms to	Size	
SCARPE KG GLOBAL LOW HRO B/S1P	Black	EN ISO 20345	38-47	1



TEAMTEC sas

We have made every effort to ensure that details and information given in this catalogue are accurate at the time of issue but give no guarantees as to the accuracy or completeness of such information. Full technical specifications are not necessarily included and furthermore our policy is one of continuous improvement and the right is reserved to alter details and information at any time as the need arises. No part of this publication may be reproduced or transmitted in any form or by any means including photocopying and recording, without our written permission.



GLOBAL MID HRO A/S1P

Soft suede high shoe, breathable collar and top fabric lining, comfortable and breathable EVA foam insole. Composite toe and composite midsole. Nitrile outsole anti-slip and heat resistant up to +300°C (HRO).

Descrizione	Color	Conforms to	Size	
SCARPE KG GLOBAL MID HRO A/S1P	Black	EN ISO 20345	38-47	1



TORNADO HRO B/S3

Grain leather high shoe, breathable collar and top fabric lining, comfortable and breathable EVA foam insole. Composite toe and composite midsole. Nitrile outsole anti-slip and heat resistant up to +300°C (HRO).

Descrizione	Color	Conforms to	Size	
SCARPE KG TORNADO HRO B/S3	Brown	EN ISO 20345	38-47	1



SLIP RESIST A/S3

Grain leather high shoe, breathable fabric lining, Composite toe and composite innersole. Super light outsole made of special synthetic material oils and acids resistant, antistatic and non marking. Specially suitable for the building industry for working on steep and slippery surfaces such as roofs and ramps and for the food industry.

Descrizione	Color	Conforms to	Size	
SCARPE KG SLIP RESIST HRO A/S3	Black	EN ISO 20345	38-47	1



SCARPONE ALASKA HRO S3

Professional safety boot with composite toe and composite midsole, removable footbed, waterproof, reinforced heel. Nitrile rubber outsole with anti-slip pads and retractable nails, hydrocarbons resistant, heat resistant up to +300°C (HRO).

Descrizione	Color	Size	Size	
SCARPONE KG ALASKA HRO S3	Black	41-46		1

TEAMTEC sas



KC LINE

CRAG A/S3 SRC

Water-repellent leather high shoe; breathable, antibacterial, absorbent and wear resistant lining; EVA and fabric anatomic pricked insole antistatic, ensure high stability thru different thickness along the plantar surface. Dual-density polyurethane outsole, non metallic midsole and steel toe.

Descrizione	Color	Conforms to	Size	
SCARPE KC CRAG A/S3 SRC PELLE MARR.	Brown	EN ISO 20345	39-47	1



RED SEA B/S1P

Pricked suede low-cut shoe, breathable, absorbent and wear resistant lining; EVA and fabric anatomic pricked insole antistatic, ensure high stability thru different thickness along the plantar surface. Dual-density polyurethane outsole, non metallic midsole and toe.

Descrizione	Color	Conforms to	Size	
SCARPE KC RED SEA B/S1P SCAM.FORATA	Beige	EN ISO 20345	36-48	1



TEAMTEC sas

We have made every effort to ensure that details and information given in this catalogue are accurate at the time of issue but give no guarantees as to the accuracy or completeness of such information. Full technical specifications are not necessarily included and furthermore our policy is one of continuous improvement and the right is reserved to alter details and information at any time as the need arises. No part of this publication may be reproduced or transmitted in any form or by any means including photocopying and recording, without our written permission.



INSOLE

SCHOLL GEL



The Scholl insole are recommended for use with the safety shoes as a further protection thru the perfect adaptation to the foot morphology and the absorption of the energy produced by the impact of the foot on the ground, ensuring its return to the original dimensions when released.

- 1) Reinforced zone for a beneficial and continuous massaging effect.
- 2) GEL insert; micro-vibrations and shock absorption up to 6.5 joules, 3 times higher compared to a traditional insole.
- 3) Shape memory.
- 4) Pre-formed anatomic shape.
- 5) Pricked front for a better aeration of the foot.
- 6) Abrasion resistant fabric flap.
- 7) Antistatic properties.
- 8) Soft EVA compound for the best comfort during the walk.
- 9) Special EVA compound for higher arch support.

Descrizione	Size	
SCARPE SOLETTA SCHOLL GEL	39-46	1



SCHOLL GELX3

The Scholl insole are recommended for use with the safety shoes as a further protection thru the perfect adaptation to the foot morphology and the absorption of the energy produced by the impact of the foot on the ground, ensuring its return to the original dimensions when released.

- 1) GelX3 has a triple combined action: a) Anti-fatigue, b) Protective, c) Preventive.
- 2) Innovative material undeformable, versatile and performant, designed to optimize the well-being.
- 3) Energy absorption with GelX3.
- 4) Energy absorption with traditional insole.
- 5) Abrasion resistant fabric, pricked for optimal aeration.
- 6) Soft GelX3 compound on the metatarsal support points for a better comfort.
- 7) Special GelX3 compound for higher arch support.
- 8) Soft GelX3 compound on the heel area, up to 9.5 joules shock absorption, 4 times higher compared to a traditional insole.

Descrizione	Size	
SCARPE SOLETTA SCHOLL SYNCRO GELX3	39-46	1

SOLETTA TERMOFORMATATA/THERMOFORMED INSOLE



Descrizione	Size	
SCARPE SOLETTA TERMOFORMATATA	39-47	1

TEAMTEC sas



SAFETY BOOTS

DUMPER GIALLO S5

PVC/Nitrile antistatic knee boots, fabric lining, yellow upper, black lug outsole. Complete with steel toe and steel midsole.

Descrizione	Conforms to	Size		
STIVALI DUMPER GIALLO S5	EN 345 S5	39-47	1	6



DUMPER SAFETY PLUS S5

PVC/Nitrile antistatic knee boots, fabric lining, black upper, red lug outsole. Complete with steel toe and steel midsole.

Descrizione	Conforms to	Size		
STIVALI DUMPER SAFETY PLUS S5	EN 345 S5	40-47	1	6



TRUCKER-EOLE S5

PVC/Nitrile knee boots 2-2,5mm thick, fabric lining, blue color, removable insole with anti-sweat AVS (Air Ventilation System), PVC/Nitrile outsole antistatic, oil resistant, anti-slip, removable insole cover made of antistatic food quality pricked washable PVC, black leg with reflective inserts. Complete with steel toe and steel midsole.

Descrizione	Conforms to	Size		
STIVALI EOLE BLU S5	ISO 6110-6112	36-47	1	6



CASEAR S4

PVC/Nitrile knee boots, fabric lining, white upper, beige lug outsole. With steel toe.

Descrizione	Conforms to	Size		
STIV.CASEAR S4	EN 345 S4	40-47	1	6



TEAMTEC sas

We have made every effort to ensure that details and information given in this catalogue are accurate at the time of issue but give no guarantees as to the accuracy or completeness of such information. Full technical specifications are not necessarily included and furthermore our policy is one of continuous improvement and the right is reserved to alter details and information at any time as the need arises. No part of this publication may be reproduced or transmitted in any form or by any means including photocopying and recording, without our written permission.



DUNLOP SAFETY PLUS THIGH SP-B

Thigh boots made of a blend of PVC and Nitrile rubber, oils and acids resistant, outsole with suction pads. Complete with steel toe and steel midsole.

Descrizione	Conforms to	Size		
STIVALI DUNLOP SAFETY PLUS THIGH	EN 345 SB-P	40-47	1	6



DUNLOP SAFETY PLUS CHEST SP-B

Chest Wader made of a blend of PVC and Nitrile rubber, oils and acids resistant, outsole with suction pads. Complete with steel toe and steel midsole.

Descrizione	Conforms to	Size		
STIVALI DUNLOP SAFETY PLUS CHEST	EN 345 SB-P	40-47	1	6

TEAMTEC sas



NON SAFETY BOOTS

JOLLY TRONCHETTO/ANKLE

PVC ankle boots, fabric lining, green color, with lug outsole.

Descrizione	Conforms to	Size		
STIV.JOLLY TRONCHETTO	EN 347-1	39-47	1	6



JOLLY GINOCCHIO/KNEE

PVC knee boots, fabric lining, green color, with lug outsole.

Descrizione	Conforms to	Size		
STIV.JOLLY GINOCCHIO	EN 347-1	39-47	1	6



JOLLY TUTTACOSCIA/THIGH

PVC thigh boots, fabric lining, green color, with lug outsole.

Descrizione	Conforms to	Size		
STIV.JOLLY TUTTA COSCIA	EN 347-1	39-47	1	6



JOLLY SCAFANDRO/CHEST WADER

PVC chest wader boots, fabric lining, green color, with lug outsole.

Descrizione	Conforms to	Size		
STIV.JOLLY SCAFANDRO	EN 347-1	39-47	1	6



TEAMTEC sas

We have made every effort to ensure that details and information given in this catalogue are accurate at the time of issue but give no guarantees as to the accuracy or completeness of such information. Full technical specifications are not necessarily included and furthermore our policy is one of continuous improvement and the right is reserved to alter details and information at any time as the need arises. No part of this publication may be reproduced or transmitted in any form or by any means including photocopying and recording, without our written permission.



UNIVERSAL TRONCHETTO/ANKLE

PVC ankle boots, fabric lining, beige lug outsole.

Descrizione	Color	Conforms to	Size		
STIVALI UNIVERSAL TRONCHETTO	Brown or Green	EN 347-1	39-47	1	6



UNIVERSAL GINOCCHIO/KNEE

PVC knee boots, fabric lining, beige lug outsole.

Descrizione	Color	Conforms to	Size		
STIVALI UNIVERSAL GINOCCHIO	Brown or Green	EN 347-1	39-47	1	6



UNIVERSAL TUTTACOSCIA/THIGH

PVC thigh boots, fabric lining, beige lug outsole.

Descrizione	Color	Conforms to	Size		
STIVALI UNIVERSAL TUTTA COSCIA VERDI	Green	EN 347-1	39-47	1	6



UNIVERSAL SCAFANDRO/CHEST WADER

PVC Chest Wader boots, fabric lining, beige lug outsole.

Descrizione	Color	Conforms to	Size		
STIV.UNIVERSAL SCAFANDRO VERDI	Green	EN 347-1	39-47	1	6

TEAMTEC sas

teamtec[®] | Progressing together

TeamTec sas Via Prima Strada, 35 35129 Padova - ITALY

T: +39 049 20 20 854

www.teamtec.it

teamtec@teamtec.it