

## 75 - HEAD PROTECTION

RESPIRATORY PROTECTION - Disposable Respirators	2
RESPIRATORY PROTECTION - Half Masks	5
RESPIRATORY PROTECTION - Full Face Mask	7
RESPIRATORY PROTECTION - Filters	8
SANDBLASTING SAFETY EQUIPMENTS	10
EYES PROTECTION	11
HEARING PROTECTION	16



# CATALOGUE

[www.teamtec.com](http://www.teamtec.com)

Ed. 01/2013



## RESPIRATORY PROTECTION - Disposable Respirators

### RESPIRATOR SH9100 FFP1 - Harmful dusts & Mist

Rating: 4,5 x TLV. Main fields of application: wood, paint and rust sanding, demolition work, food industry, mechanical and textile industry, agriculture, aluminum oxide, cellulose, cement powder, coal, gypsum, sugar processing. Conforms to EN 149:2001.



#### Descrizione

MASCHERINA NEOARM SH9100 FFP1



20 240

### RESPIRATOR SH9100/V FFP1 - Harmful dusts & Mist

With exhalation valve to facilitate the expiration. Rating: 4,5 x TLV. Main fields of application: wood, paint and rust sanding, demolition work, food industry, mechanical and textile industry, agriculture, aluminum oxide, cellulose, cement powder, coal, gypsum, sugar processing. Conforms to EN 149:2001.



#### Descrizione

MASCHERINA NEOARM SH9100/V FFP1



10 120

### RESPIRATOR SH9100/CV FFP1 - Organic vapors & Unpleasant odors

With exhalation valve to facilitate the expiration. Rating: 4,5 x TLV. Activated carbon for organic vapors <TLV. Main fields of application: laboratories, body-makers, asphaltting, environment work. Conforms to EN 149:2001.



#### Descrizione

MASCHERINA NEOARM SH9100/CV FFP1



10 120

### RESPIRATOR SH9250 FFP2 - Medium toxicity dusts & Aerosol

Rating: 12 x TLV. Main fields of application: hardwood processing, glass fiber processing, metal sanding, welding smokes, , glass industry, ceramic industry, pharmaceutical industry, clay, concrete, granite, hay, lead, silica, sodium hydroxide, zinc oxide processing. Conforms to EN 149:2001.



#### Descrizione

MASCHERINA NEOARM SH9250 FFP2



20 240

#### TEAMTEC sas

2

We have made every effort to ensure that details and information given in this catalogue are accurate at the time of issue but give no guarantees as to the accuracy or completeness of such information. Full technical specifications are not necessarily included and furthermore our policy is one of continuous improvement and the right is reserved to alter details and information at any time as the need arises. No part of this publication may be reproduced or transmitted in any form or by any means including photocopying and recording, without our written permission.



## RESPIRATOR SH9250/V FFP2 - Medium toxicity dusts & Aerosol

With exhalation valve to facilitate the expiration. Rating: 12 x TLV. Main fields of application: hardwood processing, glass fiber processing, metal sanding, welding smokes, , glass industry, ceramic industry, pharmaceutical industry, clay, concrete, granite, hay, lead, silica, sodium hydroxide, zinc oxide processing. Conforms to EN 149:2001.

### Descrizione

MASCHERINA NEOARM SH9250/V FFP2



10 120



## RESPIRATOR SH9360/V FFP3 - Toxic dusts, Fumes & Aerosol

With exhalation valve to facilitate the expiration. Rating: 50 x TLV. Main fields of application: pharmaceutical and chemical industry, building industry, ceramic industry, chrome and chrome-plated, cobalt, nickel, asbestos processing. Conforms to EN 149:2001.

### Descrizione

MASCHERINA NEOARM SH9360/V FFP3



5 60



## DUST MASK NO DPI(PPE)

A modest barrier to house dust. Not recommended for toxic dusts or organic vapors. In boxes of 50 pieces.

### Descrizione

MASCHERINA ANTIPOLVERE NO DPI SC.50 PZ.



1 20



## RESPIRATOR SH2910 FFP1 - Harmful dusts & mist

Rating: 4,5 x TLV. Main fields of application: wood, paint and rust sanding, demolition work, food industry, mechanical and textile industry, agriculture, aluminum oxide, cellulose, cement powder, coal, gypsum, sugar processing. Conforms to EN 149:2001.

### Descrizione

MASCHERINA NEOARM SH2910 FFP1



20 240



### TEAMTEC sas

We have made every effort to ensure that details and information given in this catalogue are accurate at the time of issue but give no guarantees as to the accuracy or completeness of such information. Full technical specifications are not necessarily included and furthermore our policy is one of continuous improvement and the right is reserved to alter details and information at any time as the need arises. No part of this publication may be reproduced or transmitted in any form or by any means including photocopying and recording, without our written permission.



## RESPIRATOR SH2910/V FFP1 - Harmful dusts & mist

With exhalation valve to facilitate the expiration. Rating: 4,5 x TLV. Main fields of application: wood, paint and rust sanding, demolition work, food industry, mechanical and textile industry, agriculture, aluminum oxide, cellulose, cement powder, coal, gypsum, sugar processing. Conforms to EN 149:2001.

### Descrizione

MASCHERINA NEOARM SH2910/V FFP1



20 240



## RESPIRATOR SH2920 FFP2 - Medium toxicity dusts & Aerosol

Rating: 12 x TLV. Main fields of application: hardwood processing, glass fiber processing, metal sanding, welding smokes, , glass industry, ceramic industry, pharmaceutical industry, clay, concrete, granite, hay, lead, silica, sodium hydroxide, zinc oxide processing. Conforms to EN 149:2001.

### Descrizione

MASCHERINA NEOARM SH2920 FFP2



20 240



## RESPIRATOR SH2920/V FFP2 - Medium toxicity dusts & Aerosol

With exhalation valve to facilitate the expiration. Rating: 12 x TLV. Main fields of application: hardwood processing, glass fiber processing, metal sanding, welding smokes, , glass industry, ceramic industry, pharmaceutical industry, clay, concrete, granite, hay, lead, silica, sodium hydroxide, zinc oxide processing. Conforms to EN 149:2001.

### Descrizione

MASCHERINA NEOARM SH2920/V FFP2



20 240



## RESPIRATOR SH2930/V FFP3 - Toxic dusts, Fumes & Aerosol

With exhalation valve to facilitate the expiration. Rating: 50 x TLV. Main fields of application: pharmaceutical and chemical industry, building industry, ceramic industry, chrome and chrome-plated, cobalt, nickel, asbestos processing. Conforms to EN 149:2001.

### Descrizione

MASCHERINA NEOARM SH2930/V FFP3



20 240

TEAMTEC sas

4

We have made every effort to ensure that details and information given in this catalogue are accurate at the time of issue but give no guarantees as to the accuracy or completeness of such information. Full technical specifications are not necessarily included and furthermore our policy is one of continuous improvement and the right is reserved to alter details and information at any time as the need arises. No part of this publication may be reproduced or transmitted in any form or by any means including photocopying and recording, without our written permission.



### RESPIRATORY PROTECTION - Half Masks

#### HALF MASK POLIMASK® 100/2

One size synthetic rubber half mask. Twin filter configuration for use with the 200 series resin filters.

##### Descrizione

SEMIMASCHERA POLIMASK 100/2



1



#### HALF MASK POLIMASK® 102 A1P1

One size synthetic rubber half mask. Twin filter configuration with A1P1 (EF+VS) filters.

##### Descrizione

SEMIMASCHERA POLIMASK 102 A1P1



1



#### HALF MASK POLIMASK® 2000 BETA

One size EPDM rubber half mask. Twin filter configuration for use with the 200 series resin filters.

##### Descrizione

SEMIMASCHERA POLIMASK 2000 BETA



1



#### HALF MASK POLIMASK® 230

One size synthetic rubber half mask. Suitable for use with the 230 series resin filters. Available on request complete with A1P1 (EF+VS) filter.

##### Descrizione

SEMIMASCHERA POLIMASK 230



1

SEMIMASCHERA POLIMASK 230 A1P1

1



#### TEAMTEC sas

We have made every effort to ensure that details and information given in this catalogue are accurate at the time of issue but give no guarantees as to the accuracy or completeness of such information. Full technical specifications are not necessarily included and furthermore our policy is one of continuous improvement and the right is reserved to alter details and information at any time as the need arises. No part of this publication may be reproduced or transmitted in any form or by any means including photocopying and recording, without our written permission.



## HALF MASK POLIMASK® 2000 GAMMA

One size EPDM rubber half mask. Twin filter configuration for use with the 230 series resin filters.

### Descrizione

SEMIMASCHERA POLIMASK 2000 GAMMA EPDM



1



## HALF MASK POLIMASK® 330

One size synthetic rubber half mask. Equipped with screw in connector EN 148/1 for use with Dirin 230, Dirin 300 and Dirin 500 filters with the use of an adapter of the 230 series filters.

### Descrizione

SEMIMASCHERA POLIMASK 330



1



## HALF MASK POLIMASK 2000 ALFA

One size synthetic rubber half mask. Equipped with screw in connector EN 148/1 for use with Dirin 230 and Dirin 300 filters with the use of an adapter of the 230 series filters.

### Descrizione

SEMIMASCHERA POLIMASK 2000 ALFA



1

TEAMTEC sas





### RESPIRATORY PROTECTION - Full Face Mask

#### SFERA™ MASK, EPDM rubber

Wide full view full face mask, one size fits all, **with speech diaphragm kit**. The visor frame is made of antiscratch and chemical proof polycarbonate. Threaded connector conforming to EN 148/1 for use with Dirin 230, Dirin 300 and Dirin 500 filters thru 230 series filters adaptor.

##### Descrizione

MASCHERA SFERA



1



#### SELECTA MASK, EPDM rubber

Wide full view full face mask, one size fits all **without speech diaphragm kit**. Threaded connector conforming to EN 148/1 for use with Dirin 230, Dirin 300 and Dirin 500 filters thru 230 series filters adaptor.

##### Descrizione

MASCHERA SELECTA



1



#### C 607 E MASK, EPDM rubber

Wide full view full face mask, one size fits all, **with speech diaphragm kit**. The visor frame is made of antiscratch and chemical proof polycarbonate. Threaded connector conforming to EN 148/1 for use with Dirin 230, Dirin 300 and Dirin 500 filters thru 230 series filters adaptor.

##### Descrizione

MASCHERA C 607 E

##### Reference



1

MASCHERA C607-BORSA CUSTODIA

Carrying Case

1



#### TEAMTEC sas

We have made every effort to ensure that details and information given in this catalogue are accurate at the time of issue but give no guarantees as to the accuracy or completeness of such information. Full technical specifications are not necessarily included and furthermore our policy is one of continuous improvement and the right is reserved to alter details and information at any time as the need arises. No part of this publication may be reproduced or transmitted in any form or by any means including photocopying and recording, without our written permission.




## RESPIRATORY PROTECTION - Filters



### SERIES 200


Filters in a synthetic resin container, can be fitted in pairs to half mask POLIMASK® 100/2 and 2000 BETA; the combined series 200 P3 filters, are provided with BIOSTOP paper, blocking the growth of fungi and moulds. This protection is particularly useful as protection from particulates of biologic origin.

Descrizione	Fields of application	Identifying color	
FILTRO 200 A1	Organic gases and vapors	Brown	1
FILTRO 200 A1P1	Phosphate esters, spray paint, organic gases and vapors, dusts, fumes and mists	Brown/white	1
FILTRO 200 B1	Inorganic gases and vapors	Grey	1
FILTRO 200 K1	Ammonia	Green	1
FILTRO 200 P2	Dusts, fumes and mists	White	1
FILTRO 200 P3 BIOSTOP	Dust, fumes and mists BIOSTOP	White	1
FILTRO 200 A1B1E1K1P3 BIOSTOP	Polyvalent BIOSTOP	Brown/Grey/Yellow/Green/White	1

### SERIES 230

Filters in a light, impact resistant PVC container. Can be fitted in pairs to POLIMASK® 100/2 and 2000 GAMMA half masks and, thru adaptors, to POLIMASK® 330 and 2000 ALFA half masks and to SFERA™, SELECTA and C607 full face masks. The class P3 filters are provided with BIOSTOP paper, blocking the growth of fungi and moulds. This protection is particularly useful as protection from particulates of biologic origin.



Descrizione	Fields of application	Identifying color	
FILTRO 230-ADATTATORE X FILTRI SERIE 230			1
FILTRO 230 A1P1	Phosphate esters, spray paint, organic gases and vapors, dusts, fumes and mists	Brown/white	1
FILTRO 230 A1P2	Organic gas and vapors, dusts, fumes and mists	Brown/white	1
FILTRO 230 A2P2	Organic gas and vapors, dusts, fumes and mists	Brown/white	1
FILTRO 230 E1	Sulfuric anhydride	Yellow	1
FILTRO 230 K1	Ammonia	Green	1
FILTRO 230 P2	Dusts, fumes and mists	White	1
FILTRO 230 P3 BIOSTOP	Dust, fumes and mists BIOSTOP	White	1
FILTRO 230 A2B2E2K1P3 BIOSTOP	Polyvalent BIOSTOP	Brown/Grey/Yellow/Green/White	1

TEAMTEC sas






## SERIES DIRIN 230

Filters in a synthetic resin container with screw in connector UNI-EN 148/1, can be fitted to SFERA™, SELECTA and C607 full face masks and to POLIMASK® 330 and 2000 ALFA. All Class P3 filters are provided with BIOSTOP paper, blocking the growth of fungi and moulds. This protection is particularly useful as protection from particulates of biologic origin.




Descrizione	Fields of application	Identifying color	
FILTRO DIRIN 230 A2	Organic gases and vapors	Brown	1
FILTRO DIRIN 230 A2P2	Organic gas and vapors, dusts, fumes and mists	Brown/white	1
FILTRO DIRIN 230 A2P3 BIOSTOP	Organic gases and vapors, dusts, fumes and mists BIOSTOP	Brown/white	1
FILTRO DIRIN 230 B2P3 BIOSTOP	Inorganic gases and vapors, dusts, fumes and mists BIOSTOP	Grey/White	1
FILTRO DIRIN 230 E2P3 BIOSTOP	Sulfuric anhydride, dusts, fumes and mists BIOSTOP	Yellow/White	1
FILTRO DIRIN 230 K2P3 BIOSTOP	Ammonia, dusts, fumes and mists BIOSTOP	Green/White	1
FILTRO DIRIN 230 P3 BIOSTOP	Dust, fumes and mists BIOSTOP	White	1
FILTRO DIRIN 230 A2B2E2K1P3 BIOSTOP	Polyvalent BIOSTOP	Brown/Grey/Yellow/Green/White	1

## SERIES DIRIN 500

Filters in a light alloy container with screw in connector UNI-EN 148/1, can be fitted to SFERA™, SELECTA and C607 full face masks. All series Dirin 500 filters are provided with BIOSTOP paper, blocking the growth of fungi and moulds. This protection is particularly useful as protection from particulates of biologic origin.



Descrizione	Fields of application	Identifying color	
FILTRO DIRIN 500 A2P3 BIOSTOP	Organic gases and vapors, dusts, fumes and mists BIOSTOP	Brown/white	1
FILTRO DIRIN 500 B2P3 BIOSTOP	Inorganic gases and vapors, dusts, fumes and mists BIOSTOP	Grey/White	1
FILTRO DIRIN 500 E2P3 BIOSTOP	Sulfuric anhydride, dusts, fumes and mists BIOSTOP	Yellow/White	1
FILTRO DIRIN 500 K2P3 BIOSTOP	Ammonia, dusts, fumes and mists BIOSTOP	Green/White	1
FILTRO DIRIN 500 A2B2E2K2P3 BIOSTOP	Polyvalent BIOSTOP	Brown/Grey/Yellow/Green/White	1

### TEAMTEC sas

We have made every effort to ensure that details and information given in this catalogue are accurate at the time of issue but give no guarantees as to the accuracy or completeness of such information. Full technical specifications are not necessarily included and furthermore our policy is one of continuous improvement and the right is reserved to alter details and information at any time as the need arises. No part of this publication may be reproduced or transmitted in any form or by any means including photocopying and recording, without our written permission.




## SANDBLASTING SAFETY EQUIPMENTS

### ACS 951 RESPIRATOR

Continuous flow compressed air respiratory. Soft flexible rubber mask for comfort and excellent face seal. Easy-to-replace glass visors. Headtop sewn to the mask, polyurethane coated front, strong cotton back. Protection up to the waistline. It is equipped with:

- TUR 609 corrugated rubber breathing hose connecting the air feed regulator to the mask.
- EOD 55 filter in a polypropylene container, impact resistant. It blocks the suspended solids and the oil mist evolving from a possible failure of the main air purification system.
- Aluminum alloy air feeder regulator AC 95 with screw in connector to the filter and quick male fitting to connect the breathing hose.
- The air feeder regulator is mounted on an adjustable belt.




Descrizione	Reference	
RESPIRATORE ACS951 COMPLETO	Respiratory, complete	1
RESPIRATORE ACS951-CAPPUCCIO	Headtop	1
RESPIRATORE ACS951-LENTI EST.VETRO 50 PZ	External Glass Visors 50 pieces	1
RESPIRATORE ACS951-LENTI INT. POL. 20 PZ	Internal Polycarbonate Visors 20 pieces	1
RESPIRATORE ACS951-FILTRO EOD 55	EOD55 Filter	1
RESPIRATORE ACS951-FLUSSIMETRO	Flowmeter	1
RESPIRATORE ACS951-REGOLAT. FLUSSO AC 95	Air Feeder Regulator	1
RESPIRATORE ACS951-TUBO CORRUG.TUR609	TUR609 Breathing Hose	1

### RC4 RESPIRATOR

Light duty filter respirator to protect the face and the respiratory system from chips, fumes, dusts, abrasive particles etc. It is complete with:

- Natural rubber half mask with screw in connector EN 148/1 (filter not included).
- Natural rubber expiration valve acids and solvents resistant, in a plastic container, protected by a PVC cap.
- Protection hood (leather front and waterproof fabric back) with frame holder (100x140mm) with polycarbonate safety shield and mobile counter frame with replaceable glass shield. For protection from dusts, fumes and mists the RC4 respirator must be used with P3 filter.



Descrizione	Reference	
RESPIRATORE RC4 (SENZA FILTRO)	Respiratory, without filter	1
RESPIRATORE RC4 VALVOLE RICAMBIO	Spare Valve	1
RESPIRATORE RC4-FILTRO 100 P3C4	100 P3C4 Filter	1
RESPIRATORE RC4-LENTI EST. VETRO 50 PZ	External Glass Shield 50 pieces	1
RESPIRATORE RC4-LENTI INT. POLIC. 20 PZ	Internal Polycarbonate Shield 20 pieces	1



TEAMTEC sas



## EYES PROTECTION

### OCCHIALI 505



Mono-lens eyeglasses with a modern and innovative design, extremely light and encircling, soft, non-slip nose pad made of rubber, elastic structure, extremely flexible and resistant, neck cord included in the packaging. Anti-scratch lens.

Descrizione	Type of lens	Type of frame		
OCCHIALI 505 LENTE FUMO	Smoke	Smoke	1	10
OCCHIALI 505 LENTE NEUTRA	Clear	Clear	1	10



### SPYDER 511



High protection eyeshield, adjustable temples length, pantoscopic angle adjustment, angled side protection, anti-scratch polycarbonate neutral lens.

Descrizione		
OCCHIALI SPYDER 511 LENTE NEUTRA	1	10



### OVER 520

Eyeshield/Overspec, designed to be worn over most prescription spectacles. Vented side arms. Light. Polycarbonate lens.

Descrizione	Type of lens		
OCCHIALI OVER 520 LENTE NEUTRA	Neutral	1	10
OCCHIALI OVER 520 LENTE NEUTRA ANTIAPP.	Antifog	1	10



### JOKER 566

Ultra light nylon frame, angled side protection, central screw for a quick lens replacement.

Descrizione	Type of lens	
OCCHIALI JOKER 566 LENTI NEUTRE POLICAR.	Polycarbonate Neutral	1
OCCHIALI JOKER 566 LENTI NEUTRE VETRO	Glass Neutral	1
OCCHIALI JOKER 566 LENTI VERDE 5 POLICAR	Polycarbonate Green DIN 5	1
OCCHIALI JOKER 566 LENTI VERDE 5 VETRO	Glass Green DIN 5	1



#### TEAMTEC sas

We have made every effort to ensure that details and information given in this catalogue are accurate at the time of issue but give no guarantees as to the accuracy or completeness of such information. Full technical specifications are not necessarily included and furthermore our policy is one of continuous improvement and the right is reserved to alter details and information at any time as the need arises. No part of this publication may be reproduced or transmitted in any form or by any means including photocopying and recording, without our written permission.




## JOKER 566 - Replacement Lenses

Descrizione	Reference		
OCCHIALI JOKER-LENTI RIC. POLIC. NEUTRE	Polycarbonate Neutral	1	20
OCCHIALI JOKER-LENTI RIC. VETRO NEUTRE	Glass Neutral	1	20
OCCHIALI JOKER-LENTI RIC. POLIC. VERDE 5	Polycarbonate Green DIN 5	1	20
OCCHIALI JOKER-LENTI RIC. VETRO VERDE 5	Glass Green DIN 5	1	20



## AIRMMASTER 602


Goggle made of translucent plastic, elastic fabric band, polycarbonate lens.

Descrizione	
OCCHIALI AIRMMASTER 602	1



## MASTER/FF


Goggle made of translucent plastic, elastic fabric band, 4 aeration caps, polycarbonate lens anti-fog.

Descrizione	
OCCHIALI MASTER/FF ANTIAPP.	1



## DRIVER 601

Wide view goggle, large hypoallergenic fabric band, eyebrows protection, polycarbonate lens anti-scratch and anti-fog. Designed to be worn over most prescription spectacles.



Descrizione	
OCCHIALI DRIVER 601 ANTIAPP.	1

TEAMTEC sas



### WELDMASTER 603


Welding goggle with folding twin lens, specific for braze welding and torch cutting, elastic fabric band, inside glass neutral lenses, green 5 external lenses.

Descrizione		
OCCHIALI WELDMASTER 603	1	10



### ADLER


Aluminum eyeshield with adjustable elastic band.

Descrizione	Type of lens	
OCCHIALI ADLER L.BOMB.50 CARBOROCK	Convex lenses 50 Carborock	1
OCCHIALI ADLER L.PIANE VERDI 50 DIN 5	Plain lenses Green 50 DIN 5	1



### CORRECTIVE 530


UNI 166 1F certifies safety eyeshield with corrective lenses, very light and translucent frame, angle adjustment, adjustable temples length. Supplied against medical prescription.

Descrizione	Type of lens	
OCCHIALI CORRETTIVI 530 MONOFOCALE	Monofocal	1
OCCHIALI CORRETTIVI 530 BIFOCALE	Bifocal	1
OCCHIALI CORRETTIVI 530 MULTIFOCALE	Multifocal	1



### HEADGEAR 605

Ergonomic headgear, hypoallergenic, sweat sponge front band, precision rack adjustment headband, 90° clutch tipping.

Descrizione	
VISIERA-SEMICALOTTA GIALLA 605	1



#### TEAMTEC sas

We have made every effort to ensure that details and information given in this catalogue are accurate at the time of issue but give no guarantees as to the accuracy or completeness of such information. Full technical specifications are not necessarily included and furthermore our policy is one of continuous improvement and the right is reserved to alter details and information at any time as the need arises. No part of this publication may be reproduced or transmitted in any form or by any means including photocopying and recording, without our written permission.



## VISOR CARRIER 606

Compatible with a very wide range of safety helmets, back helmet spring, 5 hooking points for the visor, 90° tipping with 2 releases.

### Descrizione

VISIERA-RACCORDO 606 ALLUMINIO



1



## VISOR 607

Anti-scratch polycarbonate visor to be used with headgear 605 and visor carrier 606.

### Descrizione

VISIERA-SCHERMO 607 NEUTRO SP. 1 MM



1

10



## WELDING HANDSHIELD

Electric arc welding handsheld. Housing for 75x98mm filter, fastening and replacement thru internal frame.

### Descrizione

VISIERA-SCHERMO SALDATORE A MANO

### Reference

Welding handsheld



1



## WELDING HEADSHIELD

SElectric arc welding headshiel. Housing for 75x98mm filter, fastening and replacement thru internal frame.

### Descrizione

VISIERA-SCHERMO SALDATORE A CASCO

### Reference

Welding headshield



1


TEAMTEC sas






### LENS FOR WELDING SHIELDS

Adiaticinic lens for standard welding shield.

Descrizione	Reference	
VETRI BIANCHI 75X98 TRASP.	White translucent	1
VETRI PROTANE 75X98 DIN 9	Protane DIN 9	1
VETRI PROTANE 75X98 DIN 10	Protane DIN 10	1
VETRI PROTANE 75X98 DIN 11	Protane DIN 11	1
VETRI PROTANE 75X98 DIN 12	Protane DIN 12	1
VETRI PROTANE 75X98 DIN 13	Protane DIN 13	1
VETRI PROTANE 75X98 DIN 14	Protane DIN 14	1
VETRI PROTANE 75X98 SPECCHIATI DIN 10	Protane Mirrored DIN 10	1
VETRI PROTANE 75X98 SPECCHIATI DIN 11	Protane Mirrored DIN 11	1
VETRI PROTANE 75X98 SPECCHIATI DIN 12	Protane Mirrored DIN 12	1
VETRI PROTANE 75X98 SPECCHIATI DIN 13	Protane Mirrored DIN 13	1
VETRI PROTANE 75X98 SPECCHIATI DIN 14	Protane Mirrored DIN 14	1



#### TEAMTEC sas

We have made every effort to ensure that details and information given in this catalogue are accurate at the time of issue but give no guarantees as to the accuracy or completeness of such information. Full technical specifications are not necessarily included and furthermore our policy is one of continuous improvement and the right is reserved to alter details and information at any time as the need arises. No part of this publication may be reproduced or transmitted in any form or by any means including photocopying and recording, without our written permission.



## HEARING PROTECTION

### MASTER PLUGS

Disposable ear plug easy to fit and comfortable to wear. Packed in pairs, in 250 pieces dispenser.



Descrizione	Conforms to	SNR dB	
TAPPI MASTER PLUGS 250 COPPIE/SC.	EN 352-2	32	1

### EAR CLASSIC

Soft foam polymer. Shapes to the ear canal and forms an excellent seal. Excellent for professional and leisure activities. Packed in pairs, in 250 pieces dispenser.



Descrizione	Conforms to	SNR dB	
TAPPI EAR CLASSIC 250 COPPIE SC.	EN 352-2	28	1

### EAR CAPS

Economical banded ear plug. Soft plugs, protect to a wide range of industrial environments.



Descrizione	Conforms to	SNR dB	Reference	
TAPPI EAR CAPS CONF.SING	EN 352-2	23	Single pack	1
TAPPI EAR CAPS CONF. 40 PZ	EN 352-2	23	Pack of 40 pcs	1
TAPPI EAR CAPS RICAMBI SC.10 PA	EN 352-2	23	Spare parts box 10 pairs	1

### STANDARD EAR MUFFS

Suitable for a wide number of applications, can be worn over head or behind the head.




Descrizione	Conforms to	SNR dB	
CUFFIA STANDARD	EN 352-1	23	1

TEAMTEC sas



### 2220 PLUS EAR MUFFS


Ideal in mid-level situations.

Descrizione	Conforms to	SNR dB	
CUFFIA 2220 PLUS	EN 352-1	23	1



### CLIPTON 2050 EAR MUFFS EUROPA HELMET MOUNTED


Excellent fit and effectiveness.

Descrizione	Conforms to	SNR dB	
CUFFIA CLIPTON 2050 X ELMETTO EUROPA	EN 352-3	24	1



### PELTOR EAR MUFFS

Height adjustment and flexible adaption to size and shape of the head. Comfort during long term wear.

Descrizione	Conforms to	SNR dB	
CUFFIA PELTOR H4A	EN 352-1	24	1
CUFFIA PELTOR OPTIME I H510A	EN 352-1	27	1
CUFFIA PELTOR OPTIME II H520A	EN 352-1	31	1
CUFFIA PELTOR OPTIME II H520B	EN 352-1	31	1



### BILSOM CLARITY C1F EAR MUFFS

Folding ear muffs, filter out harmful noise while letting alarms, warning signals and co-workers' voices come through.

Descrizione	Conforms to	SNR dB
CUFFIA BILSOM CLARITY C1F PIEGHEVOLE	EN 352-1	26




#### TEAMTEC sas


We have made every effort to ensure that details and information given in this catalogue are accurate at the time of issue but give no guarantees as to the accuracy or completeness of such information. Full technical specifications are not necessarily included and furthermore our policy is one of continuous improvement and the right is reserved to alter details and information at any time as the need arises. No part of this publication may be reproduced or transmitted in any form or by any means including photocopying and recording, without our written permission.



BILSOM CLARITY EAR MUFFS HELMET MOUNTED

Filter out harmful noise while letting alarms, warning signals and co-workers’ voices come through.

Descrizione	Conforms to	SNR dB	
CUFFIA BILSOM CLARITY SNR26 X ELMETTO	EN 352-3	26	1



BILSOM CLARITY EAR MUFFS ADAPTOR



Bilsom Clarity Ear Muffs adaptor to connect to Europa helmet.

Descrizione
CUFFIA BILSOM-ADATTATORE A LAMA 3714



EUROPA HELMET

HDPE construction, robust and durable. Fitted with a comfortable fabric head harness and sweatband. Comfortable to wear for prolonged periods. Colors available: white, blue, green, orange, yellow and red.

Descrizione		
ELMETTO EUROPA	1	1

TEAMTEC sas

### Notes:

[illegible]



TeamTec sas Via Prima Strada, 35 35129 Padova - ITALY

T: +39 049 20 20 854

[www.teamtec.it](http://www.teamtec.it)

[teamtec@teamtec.it](mailto:teamtec@teamtec.it)